

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	14581060	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:26
L2	1993822	"appear more than once" or (repeat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:32
L3	121445	URL\$1 hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
L4	1060	2 with 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
L5	757	4 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:33
L6	553	2 near5 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:35
L7	421	6 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:36
L8	216	7 and (rules filter\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 22:41
L9	0	"appear more than once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:43
L10	0	"more than once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:43

L11	0	"more" near2 "than" near2 "once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:44
L12	0	"more" adj "than" adj "once"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:44
L13	8	sub-*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:46
L14	0	sub* with 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:46
L15	20840	appear near15 once	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:50
L16	67	15 with 3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:51
L17	51	16 and 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 23:51
S1	14366729	@ad< "20031223" @rlad< "20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16
S2	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S3	17	"6665658"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:38
S4	1	"20030018779"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:34
S5	12	S3 and (spider\$3 crawl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:39

S6	12	S3 and (spider\$3 crawl\$3) and (index identifier ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:43
S7	0	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redudent	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 16:44
S8	1	S3 and (spider\$3 crawl\$3) and (index identifier ID) and redundant	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 17:38
S9	35	("4996642" "5659732" "5701469" "5790426" "5864863" "5875446" "5878233" "5884282" "5913210" "5920859" "6012087" "6078866" "6078914" "6094649" "6167409" "6226630" "6263332" "6263364" "6271840" "6304864" "6351755" "6363377" "6633867" "6665658").PN. OR ("6931397").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S10	58813	"35" and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:19
S11	11	S9 and redundant	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:20
S12	5056	redundant with (URL link index)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:37
S13	93	S12 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S14	76	S13 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S15	620	redundant with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:30
S16	25	S15 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:38
S17	20	S16 and S1	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S18	118	redundant with (URL link index) with (parameter identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:39
S19	5	S18 and S1 and S2	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/11 17:40
S20	1	"20040177015" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 16:16

S21	95634	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S22	95634	S21	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S23	12650	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S24	3238	705/35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S25	11646	hash near5 value	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:30
S26	1005	S25 with (URL link index) with (index identifier ID)	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S27	46	S26 and S21	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:31
S28	14366729	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:31
S29	26	S27 and S28	US-PGPUB; USPAT; USOCR	OR	ON	2007/09/12 17:45
S30	22	fingerprint with S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S31	12	S30 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 17:46
S32	14	fingerprint with (add\$2 insert\$2) with (URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:29
S33	8	S32 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30

S34	6	S33 and S28	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2007/09/12 18:30
S35	14449585	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:41
S36	1290	locat\$3 with identif\$3 with session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:42
S37	215	S36 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S38	139	S37 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:44
S39	126	locat\$3 with identif\$3 with session with ID	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S40	17035	(locat\$3 identif\$3) with (session with (ID identif\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S41	4276	(locat\$3 identify identifying) with (session with (ID identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:47
S42	456	S41 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48
S43	317	S42 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:48
S44	7	S43 and (web near2 crawl\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:49
S45	6	S43 and (content near5 retrieval)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51

S46	3512	extract\$3 with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S47	32	S46 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 16:51
S48	1	"20040177015" and (id identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 17:54
S49	3786	("same" identical) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:13
S50	3794	("same" identical (occur near5 multiple)) same ((session) with (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S51	2618	S50 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S52	19	S51 and (web near2 crawler\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:14
S53	86	S51 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:17
S54	342	((identical (occur near5 multiple)) same ((session) with (id identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:18
S55	11	S54 and S35 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:19
S56	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:30
S57	1	"20040177015" and session	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:38

S58	76	remov\$3 with session with identifier	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/25 18:43
S59	2	"6952730"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 20:12
S60	1	"6665658".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S61	0	"6665658".pn. and (session near2 identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:31
S62	4	session near2 identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:46
S63	5530	session near2 id	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S64	706	S63 same (URL)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S65	14449585	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S66	14449585	S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:47
S67	508	S65 and S64	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 21:48
S68	86	S67 and (search near2 engine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/28 22:00
S69	3690	(locat\$3 identify identified look) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:07

S70	991	S69 and URL and (web near2 page)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:08
S71	14451055	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S72	728	S70 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:12
S73	134	S72 and (search near2 engine)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:13
S74	27	(random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:22
S75	0	S73 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S76	6	S74 and URL and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:24
S77	20	S69 and S74	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:37
S78	16	S77 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:38
S79	0	search same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:40
S80	1	locat\$3 same (random with characters) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:41
S81	2450	(locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42

S82	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S83	185	S81 and 14'	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S84	185	S81 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S85	123	S84 and S71	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:42
S86	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43
S87	48	S85 and S86	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 10:43
S88	14451055	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S89	2450	(locat\$3 identify identified look) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S90	430	(characteristic character) same (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S91	185	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S92	123	S91 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S93	23366	(session nears (id identifier)) same (URL)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56

S94	48	S92 and S93	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S95	0	709/223.ccls. and S94	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:56
S96	6	709/223.ccls. and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S97	14453244	16and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S98	4	S96 and S88	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 12:57
S99	2	"20040042464" "7313623".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 13:16
S100	14	"20040042464" "7313623".pn. "1552408"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/04/29 13:18
S101	0	"1552408"	EPO	OR	ON	2008/04/29 13:18
S102	2615	identify\$3 with (session near2 identif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S103	178	S102 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S104	317	S102 same (URL hyper\$link links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15
S105	14495099	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:15

S106	224	S105 and S104	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:16
S107	248	identif\$3 with "UID" same (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:21
S108	169	S107 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:21
S109	122	S108 and (URL hyper\$link)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:22
S110	130	identif\$3 with "UID" with (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:25
S111	89	S110 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:25
S112	52470	identif\$3 with (URL hyper\$links link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:26
S113	391	(identif\$3 locat\$3) with (URL hyper\$links) with (session near2 (identifier\$1 id\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:27
S114	266	S113 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:27
S115	0	sesion near2 (identifier\$1 id\$1) with (sub \$string\$1) with (multiple repetitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:32
S116	0	(locat\$3 identif\$3) with (sesion near2 (identifier\$1 id\$1)) same (multiple repetitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:32
S117	0	(locat\$3 identif\$3) with (sesion near2 (identifier\$1 id\$1)) and (sub\$string) with (multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:34

S118	324	(sub\$string) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S119	189	S118 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S120	18	S119 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:35
S121	503	(session near2 (identifier\$1 id\$1)) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:37
S122	355	S121 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:37
S123	18	S120 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:38
S124	146	S122 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:38
S125	240	(locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1)) with (multiple repeat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:39
S126	157	S125 and S105	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:40
S127	51	S126 and (URL hyper\$links)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:40
S128	48	S126 and (URL hyper\$links with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 11:42
S129	1	"6225995".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:08

S130	0	(locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1)) and (session near2 (identifier\$1 id\$1) with (sub\$set sub\$string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:16
S131	0	(locat\$3 identif\$3) with (session near2 (identifier\$1 id\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:16
S132	51	(locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1)) and ((session near2 (identifier\$1 id\$1)) with (sub\$set sub\$string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:17
S133	14495099	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:18
S134	40	S132 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:18
S135	5321	(locat\$3 identif\$4) near5 (session near2 (identifier\$1 id\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:19
S136	60	((session near2 (identifier\$1 id\$1)) with (sub\$set sub\$string))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:19
S137	51	S135 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:20
S139	728	(URL hyper\$link) with (sub\$set sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:22
S140	48	S135 and S139 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:22
S141	3	"6343313".pn. "5970490".pn. "6263432".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:34
S142	12	multiple near2 occuranc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:43

S143	0	S142 same (sub\$set sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:43
S144	4119	multiple near2 occurrence\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S145	49	S144 same (sub\$set sub\$string)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S146	31	S145 and S133	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:44
S147	0	S144 same (session near2 (identifier id))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:45
S148	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 13:50
S149	1	"20040158429"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:38
S150	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/14 15:42
S151	0	10/743547	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 15:25
S152	0	"louz-on".inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 15:49
S153	17419	709/225,226,227,228,229,230.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05
S154	306	S153 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05

S155	29	S154 and session near2 (id identifier\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/10/15 16:05
S156	1611	(monitor\$3 track\$3 identif\$3) same (multipl \$3 repeat\$3) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S157	1808	(monitor\$3 track\$3 identif\$3) same (multipl \$3 repeat\$3) same (session near5 (id identifier substring\$1) substring\$1 sub\$string \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S158	88	S157 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:15
S159	14539097	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:16
S160	71	S158 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:16
S161	177	(monitor\$3 track\$3 identif\$3) same ((multipl \$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:18
S162	85	S161 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:18
S163	9978	(classif\$3 classification) with (session (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:29
S164	132328	(classif\$3 classification identify\$3) with (session (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:29
S165	1445	S164 same ((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S166	866	S165 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30

S167	29519	web near2 content	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S168	49	S165 and S167	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:30
S169	74	(sub\$string\$1 substring\$1) with ((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:38
S170	47	S169 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:38
S171	0	(session with (id identifier\$1)) with (sub \$string\$1 substring\$1) with ((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:47
S172	0	(session with (id identifier\$1)) with (sub \$string\$1 substring\$1) same ((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:47
S173	0	(session with (id identifier\$1)) same (sub \$string\$1 substring\$1) same ((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time \$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:48
S174	29	S165 and (crawl\$3 spider\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:49
S175	15	S174 and S159	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 13:49
S176	30046	search near2 engine	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:39
S177	270	((multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1)) same (session near5 (id identifier substring\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:40
S178	12144	(multipl\$3 repeat\$3) with (occurrence\$1 appear\$5 time\$1) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43

S179	14539097	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S180	8387	S178 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S181	256	S180 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:43
S182	32392	(multipl\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string \$1 scheme\$1 tab\$1 sub\$string\$1 substring URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S183	32398	(multipl\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string \$1 scheme\$1 tab\$1 sub\$string\$1 substring \$1 sub-link\$1 sublink\$1 URL cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S184	557	S183 and S176 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:44
S185	125	S184 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:45
S186	2821	(identify\$3 identified track\$3 discover\$3 classified classifying) with (session near2 (id \$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:57
S187	3	S185 and S186	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:57
S188	30641	(multipl\$3 repeat\$3 "same" similar) with (occurrence\$1 appear\$5 time\$1) with (string \$1 scheme\$1 tab\$1 sub\$string\$1 substring \$1 sub-link\$1 sublink\$1 ((section portion) near5 (URL cookies cookie)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59
S189	48	S188 and S186	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59
S190	26	S189 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 15:59

S191	180129	(multipl\$3 repeat\$3 "same" similiar) with (string\$1 scheme\$1 tab\$1 sub\$string\$1 substring\$1 sub-link\$1 sublink\$1 ((section portion part) near5 (URL cookies cookie)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:01
S192	2251	S191 and S179 and S176	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:01
S193	358	S192 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:02
S194	299	S193 and (URL\$1 cookies cookie)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:13
S195	276	("same" duplicat\$3 multiple repeat\$3) with (string near2 representation)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S196	4	S195 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S197	4	S196 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:19
S198	267	(identify\$3 identified track\$3 discover\$3 classified classifying) with (duplicat\$3 multiple repeat\$2 "same") with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:25
S199	33997	(delet\$3 prun\$3 prune\$1) with (session (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S200	33997	S199 and S199	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S201	38	S199 and S198	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26
S202	18	S201 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:26

S203	316	(delet\$3 prun\$3 prune\$1) with (session near2 (id identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:28
S204	18	S198 and S199 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:29
S205	20	S198 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:33
S206	19	S205 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:33
S207	271	(identify\$3 identified track\$3 discover\$3 classified classifying classify) with (duplicat \$3 multiple repeat\$2 "same") with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:35
S208	4	S207 not S198	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:35
S209	183	(identify\$3 identified track\$3 discover\$3 classified classifying classify) with (duplicat \$3 multiple repeat\$2) same (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:36
S210	134	S209 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:36
S211	6	S210 and S203	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:37
S212	19	S210 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:38
S213	51	S210 and (URL hyperlink\$3 hyper\$link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:39
S214	289366	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47

S215	3068	S214 and (spider\$3 crawler\$1 crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S216	1783	S215 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S217	469	S216 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:47
S218	493	S216 and (URL hyperlink\$3 hyper\$link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:48
S219	35	S218 and (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 16:49
S220	1	"20040177015"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:05
S221	0	2004/0117349	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:06
S222	1	"20040117349"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 18:06
S223	165	parameter\$1 with URL with (session near2 (ID identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 19:03
S224	97	S223 and S179	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/11 19:03
S225	14540040	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:10
S226	4710	(identify\$3 identified track\$3 discover\$3 classified classifying classify locat\$3 search \$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16

S227	2797	S225 and S226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16
S228	889	URL with (session near2 (id\$1 identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:16
S229	289558	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:17
S230	38	S227 and S228 and S229	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:18
S231	102945	crawl\$3 spider	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:24
S232	11	S230 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:24
S233	289585	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:25
S234	30	S227 and S228 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S235	11	S233 and S234	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S236	507404	(recurring duplicat\$3 multiple repeat\$3) with (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S237	11	S236 and S234	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:26
S238	19	S234 not S237	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:27

S239	624	(re\$write rewrite prun\$3 normaliz\$3) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:28
S240	1054	(re\$writ\$3 rewrite prun\$3 normaliz\$3) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:28
S241	84	S240 and S226 and S228	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:29
S242	61	S241 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:29
S243	278	S226 and S229 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:30
S244	23	S243 and S231	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:30
S247	4467	(recurring duplicat\$3 multiple repeat\$3) with (URL\$1 hyperlink\$1 hyper\$link\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S248	207	S240 and S247	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S249	133	S248 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S250	22	S249 and S226	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:34
S251	2	((identify\$3 identified track\$3 discover\$3 classified classifying classify locat\$3 search\$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:48
S252	655	method with ((identify\$3 identified track\$3 discover\$3 classified classifying classify locat\$3 search\$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49

S253	338	S252 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S254	64	S252 same URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S255	35	S254 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:49
S256	1	"5835712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:56
S257	315773	(recurring duplicat\$3 multiple repeat\$3) near5 (pattern representation sub\$string portion section tag\$1 attribute\$1 occurrence \$1 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S258	4710	((identify\$3 identified track\$3 discover\$3 classified classifying classify locat\$3 search \$3 discover\$3 spotting determin\$3 quer\$3 match\$3 mapping map recogniz\$3) with (session near2 (id\$1 identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S259	358	S257 and S258 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 10:58
S260	165	S259 and URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:01
S261	11	S260 and S240	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:02
S262	74	(normalization) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:04
S263	15	S262 and S257 and S225	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:04
S264	0	"20040158429" and crawl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:54

S265	1	"20040158429" and spider\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:54
S266	0	"20040158429" and extract\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 11:55
S267	1	10/742655	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:29
S268	0	"200402555291"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:37
S269	2	"200402555291"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 14:40
S270	1	"20040117349"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 15:56
S271	0	10/743547	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:12
S272	1	"6952730".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:20
S273	111	append\$3 with (normaliz\$3 re\$writ\$3 rewrit \$4 new) with URL	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:42
S274	102	(append\$3 add\$3) with (normaliz\$3 re\$writ \$3 rewrit\$4 new) with URL\$1 with (session (id identifier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43
S275	14540040	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43
S276	66	S274 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:43

S277	3	S276 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:47
S278	0	substitute with (session (id identifier)) with (back) with URL\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:49
S279	130	((append\$3 add\$3) near5 (session (id identifier\$1))) same (normaliz\$3 re\$writ\$3 re\$writ\$4 new) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S280	103	S279 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S281	15	S280 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:51
S282	192	(normaliz\$3) with (URL\$1 hyper\$link\$1 hyperlink\$1 URI)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 16:59
S283	52233	((append\$3 add\$3) near5 (session (id identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00
S284	15	S282 and S283	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00
S285	10	S284 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:00
S286	27499	((append\$3 add\$3) near2 (session (id identifier\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:03
S287	330	S286 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:04
S288	166	S287 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:04

S289	60	((append\$3 add\$3) near2 (session (id identifier\$1))) same (normaliz\$3 re\$writ\$3 rewrit\$4 new) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S290	45	S289 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S291	57341	"45" and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:05
S292	1	S290 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:06
S293	415	((append\$3 add\$3) near2 (session (id identifier\$1))) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:08
S294	309	S293 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:08
S295	10	S294 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:09
S296	268	((appending append add\$3 restor\$3) near2 (session (id identifier\$1))) with (URL\$1 hyper\$link\$1 hyperlink\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11
S297	14	S296 and (spider\$3 crawler crawling)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11
S298	6	S297 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:11
S299	10	(appending append add\$3 restor\$3) with S282	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:13
S300	54	((normaliz\$3 absolut\$3 normalization) with (URL\$1 hyper\$link\$1 hyperlink\$1 URI)) same (cooki\$2 token\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:34

S301	35	S300 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:35
S302	61	((normaliz\$3 absolut\$3 normalization) with (URL\$1 hyper\$link\$1 hyperlink\$1 URI)) same (cooki\$2 token\$1 sid)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:36
S303	41	S302 and S275	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/05/12 17:36
S304	14580239	@ad<"20031223" @rlad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:07
S305	350595	classify classifying classification categorizing categoriz\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:08
S306	11920	sessionID (session near2 (identifier\$1 ID))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:09
S307	231	S305 same S306	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10
S308	157	S307 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10
S309	1	"20040158429".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:10
S310	7341896	multiple plurality many	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:15
S311	153	S308 and S310	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:16
S312	11968	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17

S313	2896	S312 same S310	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S314	688	S313 and S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S315	103	S314 and S307	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:17
S316	829	(rules policies) same S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:19
S317	425	S316 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:19
S318	6153620	generat\$3 creat\$3 or S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36
S319	6153620	generat\$3 creat\$3 or S305	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36
S320	5314	S319 same S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:36
S321	341	(rules policies) same S320	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:37
S322	215	S321 and S304	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:37
S323	119818	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:39
S324	143	S322 and S323	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:39

S325	5122042	(recurring recurred duplicat\$3 multiple repeat\$3 again)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:48
S326	138	S324 and S325	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:48
S327	52	S326 and (hash hashing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 14:49
S328	30546	(recurring recurred duplicat\$3 multiple repeat\$3 again) with string\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:29
S331	31157	(recurring recurred duplicat\$3 multiple repeat\$3 again) with \$5string\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S332	404	S323 same S331	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S333	277	S332 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:30
S334	20	S333 and S312	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:33
S335	232	(recurring recurred duplicat\$3 multiple repeat\$3 again) with (query near2 string\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:48
S336	148	S335 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:48
S337	321	(common "same") with (query near2 string \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:53
S338	206	S337 and S304	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:53

S339	12	60/201622	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 15:57
S340	7	S339 and S323	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 16:40
S341	125	S338 and S323	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/28 16:41
S343	14581060	@ad<"20031223" @lad<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:41
S344	11988	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:42
S345	119992	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:43
S346	537	(determin\$3 identifying identified locating locate\$1) same S344 same S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:44
S347	705	(determin\$3 identifying identified identify locating locate\$1) same S344 same S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:44
S348	448	S347 and S343	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:45
S349	6254	web near2 (mining crawler crawling spidering spider)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:46
S350	3239	S349 and S343	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:47
S351	18	S350 and S348	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:47

S352	224	(determin\$3 identifying identified identify locating locate\$1) with S344 with S345	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:50
S353	8	S352 same (rules)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 11:51
S354	11988	sessionID (session near2 (identifier\$1 ID classifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S355	14581060	@ad<"20031223" @rld<"20031223"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S356	119992	URL hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S357	224	(determin\$3 identifying identified identify locating locate\$1) with S354 with S356	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:21
S358	121445	URL\$1 hyperlink\$1 ((hyper web) near2 links)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22
S359	224	S357 with S358 with S354	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22
S360	152	S359 and S355	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:22
S361	5396	extract\$3 with S358	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:23
S362	25	S360 and S361	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:23
S363	1	"5708780".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:26

S364	624	("5708780").URPN.	USPAT	OR	ON	2009/12/29 14:32
S365	522	extract\$3 with S354	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S366	20	S360 and S365	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S367	301	S365 and S355	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:36
S368	147467	sessionID (session near2 (identifier\$1 ID classifier)) SID	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S369	1180	S368 with S356	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S370	58	S369 and S367	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 14:39
S371	112	candidate\$1 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:05
S372	75	S371 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:05
S373	1	S372 and S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:07
S374	473	repeat\$3 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:07
S375	39	S374 and S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:08

S376	21	S375 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:08
S377	0	repeat\$3 with ("5"\$string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S378	0	repeat\$3 with (* string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S379	214	(* string\$1 parameter\$1) with S358 with S368	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S380	120	S379 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:13
S381	23	repeat\$3 with (* string\$1 parameter\$1) with S358	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:14
S382	12	S381 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:14
S383	79	repeat\$3 with (page near2 ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:21
S384	68	S383 and S355	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:21
S385	1	"20040093562".pn. and substring\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:55
S386	0	"20090049171".pn. and hash	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:58
S387	0	"20090049171".pn. and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:59

S388	1	"20080183870".pn. and hash\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 15:59
S389	1	"7308501".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/12/29 16:54
S390	13	("4823345" "5973696" "6185598" "6223222" "6374300" "6389419" "6421730" "6499110" "6665725" "6788647" "6834112" "6857067" "6925085").PN. OR ("7308501").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:06
S391	13	S390 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:07
S392	5446	(compar\$5 or match\$4) near14 urls	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:08
S393	2954158	(compar\$5 or match\$4) near14 urls (character\$1 or id\$1 or identifier\$1 or string \$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:10
S394	1068	(compar\$5 or match\$4) near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:10
S395	4	(compar\$5 or match\$4) near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1) near5 (repeat\$4 or occurrence\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:12
S396	3	(compar\$5 or match\$4) near14 urls near10 (character\$1 or id\$1 or identifier\$1 or string \$1) near5 (repeat\$4 or occurrence\$4) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:12
S397	795	(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:15
S398	195	(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) same session\$1	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:16
S399	149	(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:16
S400	89	(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1)	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17
S401	77	(compar\$5 or match\$4) near14 (character\$1 or id\$1 or identifier\$1 or string\$1) near2 urls and (character\$1 or id\$1 or identifier\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17
S402	49	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or id \$1 or identifier\$1 or string\$1) near15 session \$1 near2 (identifier\$1 or id\$1 or token\$1) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:17

S403	14	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:18
S404	14	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near2 urls and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:21
S405	14	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:23
S406	0	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:23
S407	0	(compar\$5 or match\$4) near14 random\$5 near10 "urls" and (character\$1 or string\$1) near15 session\$1 near2 (identifier\$1 or id\$1 or token\$1) and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:24
S408	1	(compar\$5 or match\$4) near14 random\$5 near10 "urls" near15 (identifier\$1 or id\$1 or token\$1) and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:24
S409	1	(compar\$5 or match\$4) near14 random\$5 near2 (character\$1 or string\$1) near10 "urls" and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:26
S410	400	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near10 "urls" and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:26
S411	340	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" and S355 not S404	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27
S412	27	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" same repeat\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27
S413	23	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:27
S414	3	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 "urls" same repeat\$5 and S355 and repeat\$4 near10 match\$4	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:32
S415	2	(compar\$5 or match\$4) near14 (character\$1 or string\$1) near3 (hyperlinks or links) same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:40
S416	111	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links) same repeat\$5 and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S417	111	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S418	150	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:43
S419	5	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355 and (id\$1 or identifier\$1 or string\$1) near15 session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:44

S420	51	repeat\$4 near10 (id\$1 or identifier\$1 or string\$1) near14 (hyperlinks or links or urls) and S355 and session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:45
S421	61	identif\$6 near15 repeat\$4 near10 (hyperlinks or links or urls) and S355 and session	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:57
S422	7	identif\$6 near15 repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:58
S423	23	repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:59
S424	16	repeat\$4 near10 string\$1 near15 (hyperlinks or links or urls) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 17:59
S425	2	repeat\$4 near10 string\$1 near15 web near page and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:04
S426	0	repeat\$4 near10 string\$1 near15 (uris) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:06
S427	0	repeat\$4 near10 string\$1 near15 (uri) and S355 not S422	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:07

12/30/2009 12:10:09 AM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10743547.wsp